

# MARSHFIELD-ALGOMA™

by Masonite Architectural

## MARSHFIELD STAT! PROGRAM UPDATE DECEMBER 5, 2016.

We believe a door is more than just a door. It can dramatically shape the built environment. That's why Masonite Architectural brings complete door solutions and visionary expertise to every project. Helping customers create safer, more comfortable and successful environments.



# STAT!



For over 20 years, Marshfield® has led the industry with express delivery programs. We were the first in the industry to introduce an advanced ordering system – DoorBuilder™.

That same year we renamed our quick-ship program **STAT!** and we have been providing fast door delivery to our customers ever since.

Not only can we meet the demands of a short deadline – Marshfield's full breadth of performance and environmental class products can answer the demands of most any opening with our **15-day** and **10-day STAT!** programs.

### INNOVATION IN PERFORMANCE

- Large selection of veneer faces and laminate choices
- Factory finishing in standard or custom designer colors
- Extensive machining options available
- Fire Doors – up to 90 minute rating
- Multiple wood and mineral cores
- Up to 150 door quantities

Masonite®  
ARCHITECTURAL

ALGOMA™  
MARSHFIELD®  
MOHAWK®  
HARRING™  
BAILLARGEON™

[marshfielddoors.com](http://marshfielddoors.com)

December 5, 2016

	<b>15-Day STAT!</b> *For door builder entry only	<b>10-Day STAT!</b>
Ready to Ship	Ready to ship in 15 business days	Ready to ship in 10 business days
Thickness	1-3/4" for all and 1-3/8" for particleboard core up to 8'-0" tall	1-3/4"
Quantity	<b>Up to 150 doors</b>	<b>Up to 150 doors</b>
Size	1'-6" x 1'-10" Minimum to 4'-0" x 10'-0" (8'-0" for 1-3/8") Maximum	1'-6" x 6'-0" Minimum to 4'-0" x 9'-0" Maximum, Singles and 8'0" x 8'0" Maximum Pairs, HPDL 1'-6" x 6'-0" Minimum to 4'-0" x 8'-0" Maximum
Finish Approval	Must have color approval prior to order submission	Must have color approval prior to order submission
Face Veneers	<p><b>Single &amp; Pairs:</b>  <b>Plain Sliced Red Oak:</b> book and running, book and balance, and book and center matched (NAUF Available)  <b>Rotary Cut Red Oak:</b> book and running matched  <b>Quarter Cut Red Oak:</b> book and running, book and balance, and book and center matched  <b>Plain Sliced Cherry:</b> book and running, book and balance, and book and center matched (NAUF Available)  <b>Plain Sliced White Maple:</b> book and running, book and balance, and book and center matched (NAUF Available)  <b>Plain Sliced African Mahogany:</b> book and running, book and balance, and book and center matched  <b>Plain Sliced Natural Birch:</b> book and running, book and balance, and book and center matched  <b>Plain Sliced White Birch:</b> book and running (NAUF Available)  <b>Rotary Cut White Birch:</b> book and running, book and balance, and book and center matched (NAUF Available)  <b>Rotary Cut Natural Birch:</b> book and running matched (NAUF Available) <b>Rift Red Oak:</b> slip and running, slip and balance, and slip and center matched  <b>Plain Sliced White Oak:</b> book and running, book and balance, and book and center matched  <b>Quarter Cut White Oak:</b> book and running, book and balance, and book and center matched  <b>Plain Sliced Walnut:</b> book and running, book and balance, and book and center matched  <b>Primed Hardboard</b>  <b>Primed MDO</b> (NAUF Available)  <b>Paint Grade Birch</b> (width of up to 3'0" x 9'-0", over 3" width max 7' height)  <b>Plain Sliced Natural Birch:</b> book and running, book and balance, and book and center matched</p>	<p><b>Single &amp; Pairs:</b> A grade, book and running only (except rift red oak)</p> <p><b>Plain Sliced Red Oak</b>  <b>Plain Sliced White Oak</b>  <b>Plain Sliced Cherry</b>  <b>Plain Sliced White Maple</b>  <b>Plain Sliced White Birch</b>  <b>Rotary Cut White Birch</b>  <b>Rotary Cut Natural Birch</b>  <b>Rift Red Oak:</b> Slip match, book and running  <b>Flat Cut Mahogany</b></p>
Core Types-Wood	Particle Core, Stave, SCLC are all available in standard, FSC and NAUF. Contact your Inside Sales Representative or Territory Sales Manager with LEED requirements.	Particle Core, Stave, SCLC are all available in standard, FSC and NAUF. Contact your Inside Sales Representative or Territory Sales Manager with LEED requirements.
Core Type-Mineral	45, 60 and 90 minute - Category A/B available	45, 60 and 90 minute - Category A/B available
STC Rating	STC up to 32 - 10 door max	STC up to 32 - 10 door max
Hardware Machining	No restrictions – Includes MEA's, ME's including wood wrapped, Radius Stiles, Single Dutch Doors, and transoms on singles only. <b>Order must be submitted on DoorBuilder.</b>	No restrictions – Includes MEA's, ME's and Radius Stiles. <b>Order must be submitted on DoorBuilder.</b>

STAT! chart continued on next page....

	<b>15-Day STAT!</b> *For door builder entry only	<b>10-Day STAT!</b>
Lites & Louvers	<p>Max lites per door – no limit. Standard wood beading and metal vision panels; Factory glazed available; installed glass select:</p> <p>1/4" tempered 1/4" laminated 1/4" Pyroswiss (20 minute only) 3/16 Keralite (45-60-90 minute)</p> <p>Metal Vision Panels -All Metal 110 series open for 1/4" glass and 3/16" fire glass for 1-3/4" doors (beige primer). Sizes: 3 x 33, 4 x 24, 4 x 25, 5 x 20, 6 x 30, 10 x 10, 22 x 28, 22 x 30 and 24 x 30 (rough opening add 1-1/2")</p> <p>Metal Louver - Bronze color only</p> <p>800A1 - Inverted "Y" Louver in rough opening 12 x 12, 18 x 12, 18 x 18, 18 x 24, 24 x 12, 24 x 18, 24 x 24 1900A - UL &amp; WHI Listed Louver for Fire-Rated Doors in rough opening 12 x 12, 18 x 12, 18 x 18, 24 x 12, 24 x 18, 24 x 24.</p>	<p>Max lites per door – no limit. Standard wood beading and metal vision panels; Factory glazed available; installed glass select:</p> <p>1/4" tempered 1/4" laminated</p> <p>Metal Vision Panels -All Metal 110 series open for 1/4" glass and 3/16" fire glass for 1-3/4" doors (beige primer). Sizes: 3 x 33, 4 x 24, 4 x 25, 5 x 20, 6 x 30, 10 x 10, 22 x 28, 22 x 30 and 24 x 30 (rough opening add 1-1/2")</p> <p>Metal Louver - Bronze color only</p> <p>800A1 - Inverted "Y" Louver in rough opening 12 x 12, 18 x 12, 18 x 18, 18 x 24, 24 x 12, 24 x 18, 24 x 24 1900A - UL &amp; WHI Listed Louver for Fire-Rated Doors in rough opening 12 x 12, 18 x 12, 18 x 18, 24 x 12, 24 x 18, 24 x 24</p>
Vertical Edges	Standard matching veneer edgebanding.	Standard matching veneer edgebanding.
Information	<b>Orders must be submitted in DOORBUILDER &amp; all questions must be answered before scheduling.</b>	<b>Orders must be submitted in DOORBUILDER &amp; all questions must be answered before scheduling.</b>
Order Changes	<b>No changes allowed.</b> Changes will require order to be cancelled and resubmitted and will impact leadtimes.	<b>No changes allowed.</b> Changes will require order to be cancelled and resubmitted and will impact leadtimes.
Freight	Additional charges may apply if freight is other than as quoted.	Additional charges may apply if freight is other than as quoted.
Pricing	<b>15% Upcharge</b>	<b>30% Upcharge</b>
Exclusions	Door/Transoms, Dutch Doors, Lead-lined, STC-33 and over, Stile and Rail, DurableDoor, PVC Edges, Applied Mouldings, Wicket Doors, Reveals, Grooves, Kerfs, Painted finish, Wood Jambs, Carte Blanche Door, grilles, workable surface, wood wrapped or stainless steel accessories, HPDL other than listed above, Wood Veneered/ PLAM top & bottom rails. Excludes all wood louvers.	Door/Transoms, Dutch Doors, Lead-lined, STC-33 and over, Stile and Rail, DurableDoor, PVC Edges, Applied Mouldings, Wicket Doors, Reveals, Grooves, Kerfs, Painted finish, Wood Jambs, Carte Blanche Door, grilles, workable surface, wood wrapped or stainless steel accessories, HPDL other than listed above, Wood Veneered/ PLAM top & bottom rails. Excludes all wood louvers.

marshfielddoors.com

**STAT!** \*NEED A LAMINATE DOOR FAST?  
CONTACT YOUR LOCAL ISR.